

UNCLASSIFIED

AD NUMBER

AD456356

LIMITATION CHANGES

TO:

Approved for public release; distribution is unlimited. Document partially illegible.

FROM:

Distribution authorized to U.S. Gov't. agencies and their contractors;
Administrative/Operational Use; OCT 1964. Other requests shall be referred to Office of Naval Research and the Office of Scientific Research, Washington, DC. Document partially illegible.

AUTHORITY

ONR memo, 22 May 1967

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

AD. 4 5 6 3 5 6

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION


CAMERON STATION ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

DISCLAIMER NOTICE




THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

CATALOGED BY DDC

456356

AS AD No



456356

NEARLY-FREE MOLECULAR FLOW: A
COMPARISON OF THEORY AND EXPERIMENT

by

F. S. Sherman
D. R. Willis
G. J. Maslach



Report No. AS-64-16
Contract Nonr -222(45)
October 15, 1964

INSTITUTE OF ENGINEERING RESEARCH
UNIVERSITY OF CALIFORNIA
Berkeley, California

CONTRACT N-onr-222(45)
REPORT AS-64-16
OCTOBER 15, 1964

JOINTLY SPONSORED BY
THE OFFICE OF NAVAL RESEARCH AND
THE OFFICE OF SCIENTIFIC RESEARCH.

NEARLY FREE MOLECULAR FLOW:
A COMPARISON OF THEORY AND EXPERIMENT

by

F. S. Sherman
D. R. Willis
G. J. Maslach

Paper presented at 11th International Congress for
Applied Mechanics, Munich, Germany
August 30 - September 5, 1964
(To appear in Proceedings)

Reproduction in whole or in part is permitted
for any purpose of the United States Government

FACULTY INVESTIGATORS:

S. A. SCHAAF, PROFESSOR OF ENGINEERING SCIENCES
L. TALBOT, PROFESSOR OF AERONAUTICAL SCIENCES
G. J. MASLACH, PROFESSOR OF AERONAUTICAL ENGINEERING
F. C. HURLBUT, ASSOCIATE PROFESSOR OF AERONAUTICAL SCIENCES

ABSTRACT

Measured drag coefficients for cylinders, normal strips and spheres in nearly free-molecular flow at $M = 6, 8$ and 10 are correlated with a collision-rate parameter suggested by the modified Krook model, and compared with theoretical estimates based on a variety of kinetic models and methods of analysis.

The comparison of theory and experiment and the comparative effectiveness of various rarefaction parameters are discussed, and suggestions for further experimentation are made.

TABLE OF CONTENTS

	<u>Page</u>
ABSTRACT	1
1.0 INTRODUCTION	1
2.0 RESUME' OF THEORIES OF NEARLY FREE-MOLECULAR FLOW	2
3.0 INTERPRETATION OF COLLISION-RATE PARAMETERS	4
4.0 RESUME' OF EXPERIMENTAL RESULTS	7
4.1 Cylinder and Strip Drag	7
4.2 Sphere Drag	9
5.0 SUMMARY OF THEORETICAL RESULTS AND COMPARISON WITH EXPERIMENT	9
5.1 Cylinder and Strip Drag	10
5.2 Sphere Drag	10
6.0 CONCLUSIONS AND SUGGESTED FURTHER WORK	11
REFERENCES	13
TABLES	14
FIGURES	17

1.0 INTRODUCTION

The principal piece of information which is currently needed to complete a description of the various regimes of rarefied gas dynamics, for purposes both of understanding and engineering prediction, concerns the behavior of typical flow patterns at their first departures from their free-molecular flow limits. Given this, together with the well-established theory of free-molecular flow and the theories and copious experimental data covering the slip flow regime, we can interpolate to describe the remaining transition flow regime with fair confidence.

Theoretical treatments of nearly free-molecular flows have run considerably ahead of experimental studies because of the difficulty of producing laboratory flows of known and suitably uniform condition with sufficiently large mean free paths. This latter difficulty is currently being overcome in a number of laboratories, by use of shock tunnels, or cryopumped steady-flow tunnels with cooled nozzles and boundary layer suction. At Berkeley, we are exploring new ranges of high Mach number, large-mean-free-path flow by use of the free jet testing technique.

Experimental and theoretical investigations of the free-jet flow field (Ashkenas and Sherman, 1964), and drag data for cylinders and strips (Maslach, et.al., 1964) have been presented earlier this year, at the Fourth International Symposium on Rarefied Gas Dynamics, held at Toronto. For the present paper we have made a critical review of this drag data, re-reducing it in terms of a rarefaction parameter α_0 , which is both more theoretically pertinent and more accurately measurable than the free stream Knudsen number. The sphere drag data of Kinslow and Potter (1962) are similarly re-expressed. The theories tested by comparison with these data are all those known (except those of a semi-empirical nature), and include some hitherto unpublished results.

2.0 RESUME' OF THEORIES OF NEARLY FREE-MOLECULAR FLOW

We limit our discussion to those methods used to predict the drag of typical aerodynamic bodies placed in an infinite gaseous medium. (The same methods can often be applied to predict the heat transfer characteristics as well.) The semi-empirical methods of Rott and Whittenbury (1961), Brooks and Reis (1963), and Kinslow and Potter (1962), in which a free parameter in the theory is adjusted to give best agreement with experimental data, will not be discussed here. While they provide simple formulas for interpolation in the transition regime, they do not give a priori estimates independent of experiment.

The complexity of the general Maxwell-Boltzmann collision operator is so great that all results to date have been obtained by either assuming hard sphere molecules and calculating approximately the effect of collisions involving molecules emitted from the body ("first-collision" methods), or by replacing the collision operator by a relaxation type term and obtaining an approximate solution to the kinetic equation by iteration starting from the free molecular solution (iterative methods).

The first-collision methods have been restricted to the case where the molecules emitted from the body have an average speed very much less than the hypersonic free stream speed. The natural small parameter is $\beta = d n_{\infty} \sigma^2 S_b$ where d is a typical dimension of the body, n_{∞} the number density in the free stream, σ the diameter of the hard sphere molecule, and $S_b^2 = m u_{\infty}^2 / 2kT_b$. Assuming that the molecules are emitted from the body with a Maxwellian distribution specified by T_b , the results for the drag coefficient are of the form

$$C_D - C_{D_{fm}} = \beta \int \ln(\beta/S_b) G_1(S_b) + \beta G_2(S_b) + O(\beta^2 \ln \beta) \quad (1)$$

where

$j = 0$ for a three-dimensional body

$j = 1$ for a two-dimensional body

and G_1 and G_2 are of order unity for $S_b \geq 1$.

The possible relationships between and the physical variables measured (or inferred) in the experiment are discussed in the next section.

The iterative methods fall into two classes. In the first class (Knudsen and integral iteration) the kinetic equation is rewritten as an integral equation and one iteration is performed starting from the free molecular solution (Willis, 1959). The collision term is represented by the "modified Krook" expression which was specifically designed for non-equilibrium situations (Maslach, et.al., 1964). The natural small parameter for this method is given by

$$\alpha = \delta n_\infty (d/2) (m/2kT_b)^{1/2}$$

where δ is a constant appearing in the collision model, such that the total number of collisions in the free stream is $\frac{1}{2}\delta n_\infty^2$ per unit time and volume. The calculations were restricted to supersonic Mach numbers, but T_b was allowed to vary in the range between (roughly) T_∞ and T_0 .

Typical drag results from this method are of the form

$$C_D - C_{D_{fm}} = \alpha j \ln(\alpha/S_b) H_1(S_b, S_\infty) + \alpha H_2(S_b, S_\infty) + O(\alpha^2 \ln \alpha) \quad (2)$$

where j is defined as above and H_1 and H_2 are functions of S_b and S_∞ which are of order unity for S_b and S_∞ both greater than one. For the two-dimensional geometries studied (cylinder and strip) only the H_1 term has been evaluated to date. Results using the simple Krook model (Bhatnagar, Gross and Krook, 1954) have also been obtained from the integral iteration method.

The second class of iterative methods uses a linearized form of the simple Krook model for the collision term and performs an iteration after taking a Fourier transform of the kinetic equation with respect to the spatial coordinate (Rose, 1964). The results for the drag of a finite length cylinder and for a sphere are of the same form as would be given by the integral iteration method.

It should be noted that only the terms of order α for the three-dimensional and order $\alpha \ln \alpha$ for the two-dimensional problems can be obtained by iterating on the formal free-molecular solution. To calculate higher order terms it would be necessary to take proper account of the non-uniform validity of the free-molecular solution far from the bodies (Pao, 1964).

3.0 INTERPRETATION OF COLLISION-RATE PARAMETERS

Wind tunnel drag measurements have conventionally been reported as functions of free stream Mach number, Reynolds number, and the ratio of the body temperature to free stream temperature T_w/T_∞ . Often a Knudsen number is deduced from the formula^{*}

$$Kn_\infty = \lambda_\infty/d = (\gamma\pi/2)^{1/2} M_\infty/Re_d \quad (3)$$

and results presented in terms of this parameter. For a comparison between theory and experiment we have to postulate a value for T_b (in all cases to date it has been set equal to T_w) and relate β and α to the experimental parameters. One suggestion for obtaining a relation is to equate the actual viscosity of the gas, at some appropriate reference temperature, to the Chapman-Enskog viscosity corresponding to the collision model.

^{*}However, other formulas have also been used. A return to presenting results in terms of Re/M might prevent possible confusion.

This choice is motivated by the fact that μ is, except for very low temperatures, a known function of temperature and that like the drag perturbation it is an evidence of the transfer of momentum due to inter-molecular collisions. In previous work (Maslach, et.al., 1964) T_∞ was used as the reference temperature. This choice has the advantage of reducing the theoretical formulas naturally to a convenient form in terms of Kn_∞ . Based on this choice it was shown there that the first-collision results using hard sphere molecules are in serious disagreement with experiment, while fair to good agreement is given by the integral iteration results.

There are, however, two points in favor of a different choice of the reference temperature. In the first place, for the higher Mach numbers used in the unheated experiments at Berkeley, T_∞ is so low that the viscosity is not well known and has to be estimated. In the second place, intuitive arguments suggest that the important collisions are those between molecules emitted from the body and free stream molecules. Typical relative kinetic energies involved in such collisions correspond to temperatures in an equilibrium gas (for which the Chapman-Enskog results are valid) of the order of the stagnation temperature (in fact, it can be as much as $1.6 T_0$ for an insulated body). As the stagnation temperature is a well-determined quantity for wind tunnel tests, we will consider the effect of using it as the reference temperature.

The appropriate formulas relating the viscosity to the collisional parameters are, for hard sphere molecules

$$\sigma^2 = (m kT/\pi)^{1/2} / [\pi \mu(T)] \quad (4)$$

and for the simple Krook model

$$\delta = kT/\mu(T) \quad (5)$$

For the modified Krook model there are some questions as to the meaning of the viscosity, but we propose to use the same formula as for the simple Krook model.

Using the above formulas we find that

$$\frac{\beta}{(1/Kn_{\infty})} = \left(\frac{S_b}{2\pi^{1/2}} \right) C_1 \quad (6)$$

$$\frac{\alpha}{(1/Kn_{\infty})} = \frac{\pi^{1/2}}{4} \left(\frac{S_b}{S_{\infty}} \right) C_2 \quad (7)$$

where

$$C_1 = (T_{\text{ref}}/T_{\infty})^{1/2} [\mu(T_{\infty})/\mu(T_{\text{ref}})]$$

$$C_2 = (T_{\text{ref}}/T_{\infty}) [\mu(T_{\infty})/\mu(T_{\text{ref}})]$$

When T_{ref} is taken as T_{∞} , both C_1 and C_2 are unity. The effect of taking $T_{\text{ref}} = T_0$, the stagnation temperature, is shown below for typical conditions in the Berkeley and AEDC (Kinslow and Potter, 1962) facilities.

M_{∞}	$T_0 (^{\circ}\text{K})$	C_1	C_2
6	290	0.42	1.15
10	290	0.26	1.40
10	3350	0.53	2.40

It can be seen that there will be a marked effect of the choice of T_{ref} , particularly for the hard sphere molecules. (Indicative of the fact that $[\mu(T)/T^{1/2}]$ is by no means constant for appreciable ranges of temperature.)

If we decide to use T_0 as the reference temperature it is in fact more convenient to work directly with α_0 or β_0 which are related to the physical parameters by

$$\beta_o = \text{Re}^*(T_o/T_b)^{1/2} / [\pi(2\pi)^{1/2}]$$

$$\alpha_o = \text{Re}^*(T_o/T_b)^{1/2} / 4 S_o \quad (8)$$

where

$$\text{Re}^* = \rho_\infty u_\infty d / \mu(T_o)$$

and

$$S_o^2 = m u_\infty^2 / 2kT_o$$

As S_o is of order unity for hypersonic conditions [approaching $(\gamma/\gamma-1)^{1/2}$ for infinite free stream Mach number] the two parameters are seen to have essentially the same meaning. Re^* is a convenient parameter depending only upon $\mu(T_o)$ which is well known, and ρ_∞ , the free stream density, which is relatively easy to infer from experimental measurements.

4.0 RESUME' OF EXPERIMENTAL RESULTS

4.1 Cylinder and Strip Drag

The basic references for these data are the reports of Maslach (1963), Tang (1964), and Ko (1964), which explain in detail the microbalance techniques, the procedures used to convert drag data from the radially diverging free jet flows into drag coefficients for uniform flow, and a number of special tests performed to verify the independence of the final results from the flow property gradients of the free jets.

Aside from probable random errors of 1 to 2 percent in the force readings and in the model diameters, the principal uncertainty in the computed quantities C_D and α_o comes from residual non-uniformities of 2 to 3 percent in density and dynamic pressure in the model vicinity in the case of Maslach's tests, which employed a set of well-designed but not quite perfect converging-diverging nozzles. In the free jet tests, a possibility of systematic error in density and dynamic pressure arises when we use the inviscid-flow theory to predict these quantities as a function of position,

given the stagnation chamber pressure and temperature. It seems natural to assume that viscous boundary-layer growth in the converging nozzle may decrease the effective nozzle diameter and correspondingly compress the scale of the entire jet flow pattern, but a definitive determination of this effect over the present range of nozzle Reynolds numbers ($2350 < \rho_* u_* D / \mu_* < 25600$) has not yet been made. In our re-reduction of the data of Tang and Ko we have chosen to ignore any such effect, using the formulas

$$\left. \begin{aligned} q/p_o &= 0.309 (x/D - 0.13)^{-2} \\ \text{and} \\ \rho/\rho_o &= 0.0887 (x/D - 0.40)^{-2} \end{aligned} \right\} x \geq 3D \quad (9)$$

which are accurate fits to theoretical data for air, obtained by the method of characteristics.

The principal experimental results for cylinder and strip drag are the following:

1) For $M = 6, 8$, and 10 , and for $0.004 \leq \alpha_o \leq 0.285$, the measured drag coefficients varied linearly with $\alpha_o \ln \alpha_o$, with 76 percent of the cylinder drag coefficients and 94 percent of the strip drag coefficients falling within ± 2 percent of a "best fit" straight line.

2) Extrapolation of these straight lines to $\alpha_o = 0$ gave free-molecular drag coefficients which were within 1 percent of values computed with an assumption of fully diffuse and accommodated molecular reemission from the model surface.

3) A plot of $C_{D_{fm}} - C_D$ versus $-\alpha_o \ln \alpha_o$ collapsed all data for each model geometry onto a single straight line independent of Mach number. The slope of this line is 2.6 ± 0.1 for the strips, and 1.8 ± 0.1 for the cylinders. (See Fig. 1.)

4.2 Sphere Drag

These data were taken directly from the paper of Kinslow and Potter (1962), which contains all information necessary for the calculation of α_o . All of Kinslow and Potter's data for which $\alpha_o \leq 2.5$ are shown in Fig. 2, which has been prepared with the theoretical value of $C_{D_{fm}}$ for fully diffuse and accommodated reemission.

Unfortunately for our present aims, these data do not extend to values of α_o much below 0.5, and do not suffice either to define directly the slope of an initially linear dependence of C_D upon α_o , or to permit extrapolation to $\alpha_o = 0$ to provide a check on the assumption of diffuse reemission. We note, however, that

- 1) In a correlation of $C_D - C_{D_{fm}}$ versus α_o , the data show no systematic dependence upon S_b in the range $0.5 \leq \alpha_o \leq 2.5$, $4.5 \leq S_b \leq 6.3$.
- 2) Three-fourths of the measured values of C_D are predicted to ± 2 percent accuracy or better by the simple formula

$$C_D = C_{D_{fm}} - 0.50 \alpha_o + 0.09 \alpha_o^2 \quad (10)$$

5.0 SUMMARY OF THEORETICAL RESULTS AND COMPARISON WITH EXPERIMENT

A summary of the theoretical formulas for drag are given in Tables I - III. For uniformity of comparison all results are expressed in terms of α_o (using Eq. 8 to convert the hard sphere results), and restricted to the case $S_\infty \rightarrow \infty$. The only parameter now entering the expressions is S_b , and it is further assumed that this dependence can be represented by a power series in $1/S_b$. Some of the expressions represent asymptotic expansions in $1/S_b$ (i.e., "cold wall" analyses); others represent best fits to numerical data.

5.1 Cylinder and Strip Drag

For the same collision model the differences between the cylinder and strip results are quite modest, and are in the direction suggested by intuition and confirmed by experiment. There are marked differences between the results predicted from the different collision models.

For Berkeley experiments $S_b \approx 1.68$, and only the integral iteration results are applicable. From Fig. 1 we can judge that the theories are qualitatively very successful when α is interpreted as α_0 . For both cylinders and strips the modified Krook model underestimates the measured $C_{D_{fm}} - C_D$ in the approximate ratio 2:3, the simple Krook model overestimates in the ratios 2.3:1 for cylinders, 2.1:1 for strips. A much better comparison could be given if the theoretical contribution of order α_0 were also calculated. (This is by no means a simple matter, unfortunately.) The presently available data are too scattered to provide any experimental estimate of the coefficient of a term of order α_0 , except to suggest from the effectiveness of a simple linear fit of $C_{D_{fm}} - C_D$ versus $\alpha_0 \ln \alpha_0$, that this coefficient cannot be much larger than unity.

5.2 Sphere Drag

Results are shown in Table III and Fig. 2. When we interpret the theories in terms of α_0 , the most successful appears to be that based on the simple Krook model, analyzed by the Fourier transform method (Rose, 1964). This successfully predicts the observed lack of marked dependence upon S_b and overestimates the apparent initial slope (inferred from the fitting formula 10) by a ratio of 1.4:1. The modified-Krook model appears next best, predicting a much larger effect of S_b (but one which might still well be masked by the scatter of the data), and overestimating the apparent initial slope by ratios of 1.6:1 ($S_b = 6.3$) to 1.9:1 ($S_b = 4.5$). The results for a rigid sphere collision model seem worst off, showing about

the same S_b -dependence as the modified Krook model, but overestimating the apparent initial slope about twice as badly.

6.0 CONCLUSIONS AND SUGGESTED FURTHER WORK

1. The present study indicates that analyses of nearly free molecular flow, based on either the simple Krook model or the modified Krook model, are qualitatively successful in predicting the drag perturbation ($C_{D_{fm}} - C_D$) for two- and three-dimensional bodies, and that quantitative discrepancies are modest (not exceeding a factor of 2 in the present range of investigation) when the collision rate parameter is evaluated at stagnation temperature.

2. Analyses based upon rigid sphere collision models appear, at the present stage of their development, to be less successful than those based on the Krook models.

3. The modified-Krook model, which has been worked out for all the body geometries under discussion, underestimates the leading term of the drag perturbation in the two-dimensional case, and overestimates it for the sphere, when $\alpha = \alpha_0$.

4. Experimental data are needed, to extend the range of S_b for two-dimensional bodies, and to get closer to free-molecular conditions, for wide ranges of S_∞ and S_b , for three-dimensional bodies. To be of any use in guiding theoretical developments, these data must not contain random or systematic errors exceeding ± 2 percent of C_D , and if the data are to provide any estimates of the coefficients of higher-order terms in the theoretical perturbation expansions, the restriction on error becomes about $\pm 1/2$ percent.

5. Most of the data correlations we have shown in terms of α_0 look just about as good in terms of α_∞ , but in two-dimensional flow the theories fit the data better when α_0 is used. For the sphere data, the Krook models look about equally good with either α_0 or α_∞ , α_0 leading to an over-

estimate of initial slope, and α_{∞} to an approximately equal underestimate. The rigid sphere theory for sphere drag looks much better in terms of α_0 than α_{∞} . The intuitive attractiveness of α_0 and the fact that use of it bypasses the nasty question of evaluating viscosities or collision cross sections at very low temperatures also contribute to our commendation of it as a most useful rarefaction parameter for the nearly-free molecular flow regime.

REFERENCES

1. Ashkenas, H., and Sherman, F. S. (1964), Proceedings, 4th Int'l Symposium on Rarefied Gas Dynamics, Toronto (to appear).
2. Baker, R. M. L., Jr., and Charwat, A. F. (1958), Phys. Fluids 1, 73.
3. Bhatnagar, P. L., Gross, E. P., and Krook, M. (1954), Phys. Rev. 94, 511.
4. Brooks, W. B., and Reis, G. E. (1963), in Rarefied Gas Dynamics (ed. J. Laurmann), Academic Press, New York, Vol. II, p. 291.
5. Kinslow, M., and Potter, J. L. (1962), AEDC, Arnold AFB, Tenn. Report AEDC-TDR-62-2015 (also AIAA J. (1963), 1, 11, 2467).
6. Ko, D. R-S (1964), Univ. of Calif. Aero. Sci. Div. Report AS-64-4.
7. Lunc, M., and Lubonski, J. (1956), Arch. Mech. Stosowanej, Warsaw, Poland 8, 597.
8. Maslach, G. J., Willis, D. R., Tang, S. S-P, and Ko, D. R-S (1964), Proceedings, 4th Int'l Symposium on Rarefied Gas Dynamics, Toronto (to appear) (also Univ. of Calif. Aero. Sci. Div. Report AS-64-16, 1964).
10. Rose, M. (1964), Proceedings, 4th Int'l Symposium on Rarefied Gas Dynamics, Toronto (to appear) (also to appear in Phys. Fluids).
11. Rott, N., and Whittenbury, C. G. (1961), Douglas Aircraft Co. Report SM-38S24.
12. Tang, S. S-P (1964), Univ. of Calif. Aero. Sci. Div. Report AS-64-3.
13. Willis, D. R. (1959), Princeton Univ. Aero. Eng. Report 442.

TABLE I. CYLINDER DRAG $S_\infty \rightarrow \infty$

$$C_D - C_{D_{fm}} = (-\alpha_0 \ln \alpha_0) F(S_b)$$

$$F(S_b) = d_0 + d_1(1/S_b) + d_2(1/S_b)^2 \dots$$

Collision Model	Method	d_0	d_1	d_2	d_3	$F(1.68)$
Modified Krook	Integral Iteration	-0.21	-1.7	-	-	-1.15
Simple Krook	Integral Iteration	-0.59	-3.9	-3.1	-0.6	-4.1
Simple Krook	Transform (Rose)	-0.56*	-	-	-	-

BEST FIT EXPERIMENTAL DATA						-1.8 ± 0.1

* Assuming that Rose's expression which is given as $\alpha_0 \ln$ (aspect ratio) goes over to $-\alpha_0 \ln \alpha_0$ as the aspect ratio of the cylinder becomes very much larger than the Knudsen number.

TABLE II. NORMAL STRIP DRAG $S_\infty \rightarrow \infty$

$$C_D - C_{D_{fm}} = -(\alpha_o \ln \alpha_o) F(S_b)$$

$$F(S_b) = d_o + d_1(1/S_b) + d_2(1/S_b)^2$$

Collision Model	Method	d_o	d_1	d_2	d_3	$F(1.68)$
Modified Krook	Integral Iteration	-0.27	-1.86	-	-	-1.66
Simple Krook	Integral Iteration	-0.75	-4.7	-4.7	-1.0	-5.4
Hard Spheres	First Collision (Lunc & Lubonski)	-0.56*	-	-	-	-

BEST FIT EXPERIMENTAL DATA						-2.6 \pm 0.1

*Lunc and Lubonski's formula is given in terms of a mean speed $\bar{\xi}_b$ for molecules leaving the strip. We have taken $\bar{\xi}_b = (9\pi kT_b/8)^{1/2}$ which gives the same free molecular drag as a Maxwellian emission at temperature T_b .

TABLE III. SPHERE DRAG $S_{\infty} \rightarrow \infty$

$$C_D - C_{D_{fm}} = -\alpha_o [d_o + d_1(1/s_b) + d_2(1/s_b)^2 + \dots]$$

Collision Model	Method	d_o	d_1	d_2
Modified Krook	Integral Iteration	-0.37	-3.32	+2.57
Simple Krook	Transform (Rose)	-0.75	+0.26	-
Hard Spheres	First Collision (Baker & Charwat)	-1.0*	-4.36*	-
BEST FIT EXPERIMENTAL DATA, $C_D - C_{D_{fm}} = -0.50 \alpha_o + 0.09 \alpha_o^2$				

*As in Table II, assuming an expression for the average speed of the molecules leaving the sphere which gives the same free molecular drag as Maxwellian emission at temperature T_b .




FIGURE 1. CYLINDER & STRIP DRAG




FIGURE 2. SPHERE DRAG

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION	
University of California, Berkeley		UNCLASSIFIED	
		2b. GROUP	
3. REPORT TITLE			
Nearly Free Molecular Flow: A Comparison of Theory and Experiment			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
Technical Report			
5. AUTHOR(S) (Last name, first name, initial)			
Sherman, F. S. Willis, D. R. Maslach, G. J.			
6. REPORT DATE		7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
October 15, 1964		18	13
8a. CONTRACT OR GRANT NO		9a. ORIGINATOR'S REPORT NUMBER(S)	
N-onr-222(45)		AS-64-16	
b. PROJECT NO			
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.			
10. AVAILABILITY/LIMITATION NOTICES			
Qualified requesters may obtain copies of this report from DDC.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY	
Paper presented at 11th Int'l Congress for Applied Mechanics, Munich, Germany August 30 - September 5, 1964		Office of Naval Research and the Office of Scientific Research	
13. ABSTRACT			
<p>Measured drag coefficients for cylinders, normal strips and spheres in nearly free-molecular flow at $M = 6, 8$ and 10 are correlated with a collision-rate parameter suggested by the modified Krook model, and compared with theoretical estimates based on a variety of kinetic models and methods of analysis.</p> <p>The comparison of theory and experiment and the comparative effectiveness of various rarefaction parameters are discussed, and suggestions for further experimentation are made.</p>			

DD FORM 1473

1 JAN 64

UNCLASSIFIED

Security Classification

UNCLASSIFIED
Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Near-free-molecule flow Kinetic theory Blunt body drag						

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s).

10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.

DISTRIBUTION LIST FOR UNCLASSIFIED TECHNICAL REPORTS
ISSUED UNDER CONTRACT NOME 222(4-1) TASK NR 061-003
March 1963

Chief of Naval Research Department of the Navy Washington 25, D. C. Attn: Code 436 419 421 461	(3) (1) (1) (1)	ARL(ANM) Building 450 Wright-Patterson Air Force Base Ohio Elmer G. Johnson, Chief Fluid Dynamics Facilities Branch Aeronautical Research Laboratory Wright-Patterson Air Force Base Ohio U. S. Army Research Office (Durham) Box CM, Duke Station Durham, North Carolina Commanding, General Aberdeen Proving Ground, Maryland Attn: Technical Library (EML)	(1) (1) (1) (1) (1)	Dr. Arthur Kantrowitz, Director AVCO-Torrey Research Laboratory 2385 Revere Beach Parkway Everett 49, Massachusetts Professor Otto Laporte University of Michigan Physics Department Ann Arbor, Michigan Professor H. Liepmann Department of Aeronautics California Institute of Technology Pasadena 4, California Professor G. S. S. Ladford Department of Mechanics Cornell University Ithaca, New York Dr. F. K. Moore, Director Aero-Sciences Division Cornell Aeronautical Laboratory, Inc. P. O. Box 235 Ithaca 21, New York Dr. Boris Ragot Vidya, Incorporated 226 Hanover Street Palo Alto, California Professor E. L. Reafer Graduate School of Aeronautical Engineering Cornell University Ithaca, New York Dr. S. A. Schaaf University of California Department of Engineering Berkeley, California Professor A. H. Shapiro Department of Mechanical Engineering Massachusetts Institute of Technology Cambridge 39, Massachusetts Professor P. Sherman Aeronautical Engineering Department University of Michigan Ann Arbor, Michigan Professor K. Stewartson Department of Mathematics University of Durham Science Laboratories South Road Durham, England Professor O. M. Thelmer Research Professor New Mexico State University Research Center, Box 750 University Park, New Mexico Professor A. B. Arons Department of Physics Amherst University Amherst, Massachusetts Division of Applied Mathematics Brown University Providence 12, Rhode Island Professor Martin Division of Engineering Brown University Providence 12, Rhode Island Pierantonio Mader Division of Engineering Brown University Providence 12, Rhode Island Engineering Division California Institute of Technology Pasadena 4, California Jet Propulsion Laboratory 4800 Oak Grove Drive Pasadena, California Attn: Library Professor M. S. Pleasant Engineering Division California Institute of Technology Pasadena 4, California Professor C. B. Millikan, Director Guggenheim Aeronautical Laboratory California Institute of Technology Pasadena 4, California Professor L. Lees Guggenheim Aeronautical Laboratory California Institute of Technology Pasadena 4, California Professor F. Twick Department of Physics California Institute of Technology Pasadena 4, California Professor G. Kieritz Department of Mechanical Engineering Case Institute of Technology 10909 Euclid Avenue Cleveland 6, Ohio Professor P. Kusch Columbia University New York, New York Professor V. Sears Graduate School of Aeronautical Engineering Cornell University Ithaca, New York Dr. A. Heitzberg Cornell Aeronautical Laboratory 455 Concession Street Ithaca, New York Dr. C. H. Miller, 5114 Sandra Corporation Santa Fe Albuquerque, New Mexico Professor G. F. Carrier Pierce Hall Harvard University Cambridge 38, Massachusetts Professor H. Timmons Department of Engineering Sciences Harvard University Cambridge 38, Massachusetts Professor L. Goldberg Harvard College Observatory Cambridge 38, Massachusetts Dr. Fred L. Whipple 60 Garden Street Cambridge 38, Massachusetts Armour Research Foundation 10 West 30th Street Chicago 19, Illinois School for Applied Mathematics Indiana University Bloomington, Indiana Professor F. M. Clauser Department of Aeronautics Johns Hopkins University Baltimore 18, Maryland Professor R. J. Ertch Department of Physics Lehigh University Bethlehem, Pennsylvania Professor L. Amur Massachusetts Institute of Technology Cambridge, Massachusetts Professor George A. Brown Massachusetts Institute of Technology 3-106 37 Massachusetts Avenue Cambridge 38, Massachusetts Professor H. D. Mottel Department of Chemical Engineering Massachusetts Institute of Technology Cambridge 39, Massachusetts Dr. Lee Arnold College of Engineering New York University University Heights New York 53, New York AF Cambridge Research Lab L. C. Hanson Field Bedford, Massachusetts Attn: Poly. Comm. Technical Library Professor C. C. Lin Department of Mathematics Massachusetts Institute of Technology Cambridge 39, Massachusetts Department of Mechanical Engineering Massachusetts Institute of Technology Cambridge 39, Massachusetts Professor S. Hederann Physics Department New York University University Heights New York 53, New York Professor J. J. Stoker Institute of Mathematical Sciences Washington Place New York 3, New York Professor J. F. Ludlow Guggenheim School of Aeronautics New York University New York 53, New York Professor Ali Bulent Cambel Department of Mechanical Engineering Northwestern University Evanston, Illinois Dr. Loren F. Bollinger The Ohio State University Rocket Research Laboratory 2240 Olentangy River Road Columbus 10, Ohio Professor R. G. Stone Department of Physics (Osmond) Pennsylvania State University University Park, Pennsylvania Professor W. D. Hayes Princeton Research Center Princeton, New Jersey Professor S. Engdahl Department of Aeronautical Engineering Princeton University Princeton, New Jersey Professor L. Spitzer, Jr. Princeton University Observatory Princeton, New Jersey Professor J. Fox Department of Aeronautical Engineering Rensselaer Polytechnic Institute Troy, New York Dr. C. Cook Stanford Research Institute Menlo Park, California Professor D. Gilbarg Applied Mathematics and Statistics Laboratory Stanford University Stanford, California Professor Milton van Dyke Department of Aeronautical Engineering Stanford University Stanford, California Professor B. Bershader Department of Aeronautical Engineering Stanford University Stanford, California Professor Allen Chapman, Chairman Mechanical Engineering Department William M. Rice Institute Box 1982 Houston 1, Texas Professor M. Holt Division of Aeronautical Sciences University of California Berkeley 4, California Professor W. A. Nienberg University of California Berkeley, California Professor A. K. Oppenheim Department of Mechanical Engineering University of California Berkeley 4, California Dr. S. A. Colgate Radiation Laboratory University of California Livermore, California
--	--------------------------	--	---------------------------------	---

- Dr. J. L. Tuck
Physics Division
Los Alamos Scientific Laboratory
University of California
Los Alamos, New Mexico (1)
- Professor A. F. Charney
Department of Engineering
University of California
Los Angeles 24, California (1)
- Dean L. M. K. Bowler
College of Engineering
U.C.L.A.
Los Angeles, California (1)
- Director
Engineering Center
University of Southern California
University Park
Los Angeles, California (1)
- Professor J. Kaplan
Department of Physics
U.C.L.A.
Los Angeles, California (1)
- Aeronautical Sciences Laboratory
University of California
Richmond Field Station
Richmond 6th Street
Richmond, California (1)
- William H. Dorrance, Head
Aero-Analysis Department
2400 East El Segundo Boulevard
El Segundo, California (1)
- American Machine and Foundry Company
Attn: Mechanics Research Department
7501 N. Natchez Avenue
Niles, Illinois (1)
- Australian Weapons Research
Establishment
c/o Defense Research and Development
Australian Joint Service Staff
P. O. Box 4537
Washington 8, D. C. (1)
- Dr. S. C. Lin
Aero-Engine Research Laboratory
2380 River Road, Parkers
Avenue 19, Massachusetts (1)
- Mr. J. T. Hamilton (Dr. S. 1-34)
Chief of Flight Technology
The Boeing Company
Aero-Space Division
P. O. Box 3707
Seattle 24, Washington (1)
- Technical Information Center
Chance Vought Corporation
P. O. Box 1907
Dallas 22, Texas (1)
- Dr. A. E. S. Green
Chief of Physics
General Dynamics-Corvair
Mail Zone 6-172
San Diego 12, California (1)
- M. A. Barry, G-25
Douglas Aircraft Company, Inc.
3000 Ocean Park Boulevard
Santa Monica, California (1)
- Patchold Engine and Aircraft Company
Guided Missiles Division
Oyadanch, Long Island, New York (1)
- Dr. J. S. Isenberg
Technical Director
Flight Sciences Laboratory, Inc.
1905 Sheridan Drive
Buffalo 23, New York (1)
- Dr. M. Flite
General Atomic
P. O. Box 608
San Diego 12, California (1)
- Mr. Lawrence L. Chason, Manager
MSVD Library
General Electric Company
Missile and Space Vehicle Department
3190 Chestnut Street
Philadelphia 1, Pennsylvania (1)
- Dr. Nagamatsu
General Electric Company
Research Laboratory
P. O. Box 1088
Schenectady, New York (1)
- Dr. Donald R. White
General Electric Company
Research Laboratory
P. O. Box 1088
Schenectady, New York (1)
- Dr. Alpher
General Electric Company
Research Laboratory
P. O. Box 1088
Schenectady, New York (1)
- Dr. G. Weber
General Mills, Inc.
Electronics Group
2303 E. Hennepin Avenue
Minneapolis 13, Minnesota (1)
- Dr. Robert N. Bolyer, Jr.
Research Laboratories
General Motors Corporation
12 Mile and Mount Road
Warren, Michigan (1)
- Professor J. O. Hirschfelder
Theoretical Chemistry Laboratory
University of Wisconsin
Post Office Box 2127
Madison 5, Wisconsin (1)
- Aerofleet General Corporation
Attn: Vera T. Greiner, Librarian
6342 N. Irwindale Avenue
Anaheim, California (1)
- Professor G. M. Patterson
University of Toronto
Institute of Aerophysics
Toronto 4, Canada (1)
- Engineering Library
Grumman Aircraft Engineering Corp.
Bethpage, Long Island, New York (1)
- Mr. E. D. Marriot
Hughes Aircraft Company
Building 7-Mail Station 1000
Culver City, California (1)
- Mr. Marshall P. Tulin
Hydroaerotics, Inc.
Pindell School Road
Howard County
Laurel, Maryland (1)
- Dr. H. Cohen
IBM Research Center
P. O. Box 218
Yorktown Heights, New York (1)
- Mr. Ronald Smith
Chief Scientist
Lockheed Missiles and Space Company
P. O. Box 500
Junnyvale, California (1)
- Engineering Library
The Marquardt Corporation
15555 Saticoy
Van Nuys, California (1)
- Mr. L. G. Cusper
The Martin Company
Department 2-10, Mail Box, J-1072
Baltimore 14, Maryland (1)
- The Martin Company
DNRG, Research Library, 4-52
P. O. Box 179
Denver 1, Colorado (1)
- Dr. J. M. Leary, Director
Midwest Research Institute
Physics and Mathematics Division
72 Walker Boulevard
Kansas City 10, Missouri (1)
- Midwest Research Institute
Attn: Library
72 Walker Boulevard
Kansas City 10, Missouri (1)
- Dr. R. C. Fleeman
National Physical Laboratory
Teddington, Middlesex, England (1)
- Mr. R. Oriskany-Buckernan
Head, University of Aeronautics
National Aeronautical Establishment
National Research Council
Ottawa 2, Canada (1)
- Dr. R. L. Ann Dwyer
North American Aviation, Inc.
Space and Information Systems Division
12710 Lakewood Boulevard
Downey, California (1)
- Northrop Corporation
Research Division
Attn: Technical Information
1901 E. Broadway
Northridge, California (1)
- Raytheon Development Corporation
A Division of Thompson Submarine
Incorporated
Attn: Technical Information Services
8433 Fall Brook Avenue
Campbell Park, California (1)
- Mr. E. Williams
Rand Corporation
1703 Main Street
Santa Monica, California (1)
- Dr. R. A. Perry, Chief
Aircraft Simulation Laboratory
Applied Research & Development
Republic Aviation Corporation
Farmdale, New York (1)
- Republic Aviation Corporation
Attn: Mr. F. J. Sinkovitch
Space Systems and Research
Farmingdale, Long Island, New York (1)
- Dr. L. F. Crabtree
Ministry of Aviation
Royal Aircraft Establishment
Aerodynamics Department
Farnborough, Hants, England (1)
- Dr. J. D. Shreve, Jr.
Sundt Corporation
Sandia Base
Albuquerque, New Mexico (1)
- Bell Telephone Laboratories, Inc.
Whippany Laboratory
Whippany, New Jersey
Attn: Lloyd P. Wagner
Classified Library, 20-1658 (1)
- General Dynamics Corporation
Astronautics Division
Box 1128
San Diego 12, California
Attn: Engineering Library (1)
- General Motors Corporation
Defense Systems Division
Box 1
Santa Barbara, California
Attn: Gail T. Fleisher (1)
- Hallidie Corporation
117 East Colorado Boulevard
Pasadena, California
Attn: Dr. Saul Feldman (1)
- Massachusetts Institute of Technology
Lincoln Laboratory
P. O. Box 73
Lexington 73, Massachusetts
Attn: Mary A. Greenlee, Librarian (1)
- Attn: Seymour Edlberg (1)
- Attn: Glen F. Pippert (1)
- Radio Corporation of America
Missile and Surface Radar Division
Morristown, New Jersey
Attn: Gertrude Pughner
Eng. Library 127-223 (1)
- Office of Technical Services
Department of Commerce
Washington 25, D. C. (1)
- Professor R. Donnelly
Institute for the Study of Metals
University of Chicago
5408 Ellis Avenue
Chicago 37, Illinois (1)
- Professor R. P. Harrington, Head
Department of Aeronautical Engineering
University of Cincinnati
Cincinnati 21, Ohio (1)
- Professor T. L. B. Iley
Department of Physics
University of Florida
Gainesville, Florida (1)
- Dr. H. Kendall Reynolds
Physics Department
University of Houston
3801 Cullen Boulevard
Houston, Texas (1)
- Professor A. H. Teub
The Digital Computer Laboratory
University of Illinois
Urbana, Illinois (1)
- Professor H. S. Stillwell, Chairman
Department of Aeronautical and
Astronautical Engineering
University of Illinois
Urbana, Illinois (1)
- Professor W. R. Crum
University of Maryland
College Park, Maryland (1)
- Professor Paul
Institute for Fluid Mechanics and
Applied Mathematics
University of Maryland
College Park, Maryland (1)
- Professor Burgess
Institute for Fluid Mechanics and
Applied Mathematics
University of Maryland
College Park, Maryland (1)
- Professor G. E. Uhlenhuth
The Rockefeller Institute
New York 21, New York (1)
- Professor A. Kuehe
Department of Aeronautical Engineering
University of Michigan
Ann Arbor, Michigan (1)
- Professor W. C. Nelson
Department of Aeronautical Engineering
University of Michigan
Ann Arbor, Michigan (1)
- Professor Keene M. Siegel
Radiation Laboratory
The University of Michigan
201 Catherine Street
Ann Arbor, Michigan (1)
- Dr. M. A. Blomdi
Physics Department
University of Pittsburgh
Pittsburgh, Pennsylvania (1)
- Professor T. M. Donahue
University of Pittsburgh
Pittsburgh, Pennsylvania (1)
- H. J. Thompson
Defense Research Laboratory
University of Texas
P. O. Box 8028
Austin, Texas (1)
- The Library
Institute of Aerophysics
University of Toronto
Toronto 5, Ontario (1)
- Professor M. A. Cook, Director
Experimental Research Group
University of Utah
Salt Lake City, Utah (1)
- A. R. Kuhlman, Director
Research Laboratories for the
Engineering Sciences
Thomson Hall
University of Virginia
Charlottesville, Virginia (1)
- Department Librarian
Department of Aeronautical Engineering
University of Washington
Seattle 5, Washington (1)
- United Aircraft Corporation
Research Laboratories
409 Main Street
East Hartford 3, Connecticut (1)
- Dr. Donald E. Davenport, Director
Poulter Laboratories
Stanford Research Institute
Menlo Park, California (1)
- Dr. Duwell
Stanford Research Institute
Poulter Laboratories
Menlo Park, California (1)
- Scientific and Technical Information
Facility
Attn: NSA Representative
P. O. Box 3700
Bethesda, Maryland (1)
- Professor Walter Vail
Department of Aeronautical Engineering
Stanford University
Stanford, California (1)
- Dr. Manfred A. Heckl
Bell, Beranek and Newman, Inc.
40 Moulton Street
Cambridge 38, Massachusetts (1)
- Mithras, Incorporated
180 Putnam Avenue
Cambridge 39, Massachusetts
Attn: Dr. E. S. Rubin (1)
- AVCO Research and Advanced
Development Division
201 Lowell Street
Wilmington, Massachusetts
Attn: Chief of Aerodynamics (1)
- Professor R. Courant
Institute of Mathematical Sciences
New York University
25 Javerty Place
New York 3, New York (1)
- Dr. J. Menkes
Institute for Defense Analysis
1000 Connecticut Avenue, N. W.
Washington 9, D. C. (1)
- Professor J. H. Clarke
Division of Engineering
Brown University
Providence 12, Rhode Island (1)
- Professor Walter C. Vincenti
Department of Aeronautics and
Astronautics
Stanford University
Stanford, California (1)
- Dr. J. J. Christen
Armour Research Foundation
Illinois Institute of Technology
10 West 35th Street
Chicago 18, Illinois (1)
- Professor R. Vagstad-Larson
Aerodynamics Laboratory
Polytechnic Institute of Brooklyn
327 Atlantic Avenue
Freeport, New York (1)
- Stanford Research Institute
333 Ravenswood Avenue
Menlo Park, California
Attn: Myles R. Berg (1)
- Professor Tang Li
Department of Aerospace Engineering
University of Cincinnati
Cincinnati 21, Ohio (1)
- Professor D. Mottet
Department of Mechanical Engineering
Northwestern University
Technological Institute
Evanston, Illinois (1)
- Yale University
Hasson Laboratory
Attn: Library
600 Temple Street
New Haven 10, Connecticut (1)
- Professor R. F. Prichard
M. I. T.
Department of Mechanical Engineering
Room 3-214
Cambridge 39, Massachusetts (1)
- A. R. Kuhlman
Physics Research Corporation
250 Alshire Boulevard
Santa Monica, California (1)
- Army Research Corporation
Attn: Mr. J. D. Lindberg
Technical Library (1)
- F. Hays
Advanced Research Projects Agency
The Pentagon
Washington 25, D. C. (1)
- Attn: Dr. F. McNeil (1)
- Dr. Hays
Advanced Research Projects Agency
Griffith Air Force Base
Wright-Patterson AFB, Ohio
Attn: Document Library DCOL-2 (1)
- Aerospac Corporation
P. O. Box 408
Los Angeles 74, California
Attn: J. J. Smith, Librarian (1)
- AVCO-Research Research Laboratory
2380 River Road, Parkers
Avenue 19, Massachusetts
Attn: Barbara Spencer
Technical Library (1)
- AVCO Corporation
201 Lowell Street
Wilmington, Massachusetts
Attn: Theodore Ruppert, Chief
Research Library (1)
- Battelle Memorial Institute
30 King Avenue
Columbus 1, Ohio
Attn: B. H. Hirschfeld
Margaret Ann Long (1)
- Mr. C. C. Budson
Sandia Corporation
Sandia Base
Albuquerque, New Mexico (1)
- Mr. R. S. Claassen, Director
Physical Research
Sandia Corporation
Sandia Base
Albuquerque, New Mexico (1)
- Dr. B. G. Low
Manager, Gas Dynamics
Space Sciences Laboratory
Space Technology Center
King of Prussia, Pennsylvania (1)
- Dr. A. Ritter
Therm Advanced Research
Therm, Incorporated
Ithaca, New York (1)
- Dr. R. Post
Radiation Laboratory
University of California
Livermore, California (1)